



AVK EXTENSION SPINDLE, FIXED LENGTH

04/02-0010

For gate valves, key adaptor #23-32



AVK extension spindles in fixed length are designed for ease of use and long service life. The patented design facilitates fast and easy shortening of the extension spindle as the complete adjustment can be done by mere use of a hacksaw. The extension spindles are made of corrosion-free materials and the bottom cover protects against penetration of impurities.



Product description:

Fixed extension spindle for gate valves. For water, neutral liquids and gas

Standards:

- Designed to all standards



Features:

- The expanding bolt design facilitates easy height adjustment
- The conical key adaptor fits most standard T-keys
- The inner tube is press fit to the top spanner and bottom adaptor to safeguard the galvanization of the tube
- The bottom cover protects the valve spindle from sand and dirt and enables it to rotate freely
- Available in different lengths

Accessories:

T-key, surface box and support tile




Expect ... **AVK**

AVK EXTENSION SPINDLE, FIXED LENGTH

04/02-0010

For gate valves, key adaptor #23-32



Component list:

1. Bolt	Stainless steel	7. Stop ring	PE
2. Key adaptor	Stainless steel, cast	8. Spindle cover top	PE
3. Sleeve	PE	9. Spindle adaptor	Stainless steel, cast
4. Nut	Stainless steel	10. Bottom cover	PE
5. Inner tube	Steel, galvanized	11. Split pin	Stainless steel
6. Protection tube	PE		

Components may be substituted with equivalent or higher class materials without prior notification.

Reference nos. and dimensions:

AVK ref. no.	DN/DN	D mm	L8 mm	F3 mm
04-050-3-9002	40 - 50	64	2000	23 - 32
04-050-3-9202	40 - 50	64	2500	23 - 32
04-050-3-9402	40 - 50	64	3000	23 - 32
04-080-3-9002	65 - 80	64	2000	23 - 32
04-080-3-9202	65 - 80	64	2500	23 - 32
04-080-3-9402	65 - 80	64	3000	23 - 32
04-100-3-9002	65 - 150	64	2000	23 - 32
04-100-3-9402	65 - 150	64	3000	23 - 32
04-125-3-9002	100 - 125	64	2000	23 - 32
04-125-3-9202	100 - 125	64	2500	23 - 32
04-125-3-9402	100 - 125	64	3000	23 - 32
04-150-3-9002	150 - 150	64	2000	23 - 32
04-150-3-9202	150 - 150	64	2500	23 - 32
04-200-3-9002	200 - 200	64	2000	23 - 32
04-200-3-9202	200 - 200	64	2500	23 - 32
04-200-3-9402	200 - 200	64	3000	23 - 32
04-300-3-9002	250 - 300	64	2000	23 - 32
04-300-3-9202	250 - 300	64	2500	23 - 32
04-300-3-9402	250 - 300	64	3000	23 - 32
04-400-3-9002	350 - 400	64	2000	23 - 32
04-400-3-9202	350 - 400	64	2500	23 - 32

The designs, materials and specifications shown are subject to change without notice due to the continuous development of our product range.

AVK EXTENSION SPINDLE, FIXED LENGTH

04/02-0010

For gate valves, key adaptor #23-32

Reference nos. and dimensions:

AVK ref. no.	DN/DN	D	L8	F3
		mm	mm	mm
04-400-3-9402	350 - 400	64	3000	23 - 32
04-630-3-9002 (1)	450 - 600	64	2000	23 - 32

(1) Ø30 mm valve stem